

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KÖSTER POX IN A

Revision date: 03.04.2018

Product code: IN231a

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KÖSTER POX IN A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

The product is intended for professional use. Building and construction work.

Uses advised against

No identified use(s).

1.3. Details of the supplier of the safety data sheet

Company name:	KOESTER BAUCHEMIE AG	
Street:	Dieselstrasse 1 - 10	
Place:	D-26607 Aurich	
Telephone:	+49-4941-9709-0	Telefax: +49-4941-9709-40
e-mail (Contact person):	produktsicherheit@koester.eu	
Internet:	www.koester.eu	
Responsible Department:	Forschung & Entwicklung	

1.4. Emergency telephone number:

+49-551-19240 (24 h, Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2
 Serious eye damage/eye irritation: Eye Dam. 1
 Respiratory or skin sensitisation: Skin Sens. 1
 Hazardous to the aquatic environment: Aquatic Chronic 2
 Hazard Statements:
 Causes skin irritation.
 Causes serious eye damage.
 May cause an allergic skin reaction.
 Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

epoxy resin (number average molecular weight \leq 700), reaction product: bisphenol-A-(epichlorhydrin) oxirane, mono[(C12-14-alkyloxy)methyl] derivs.
 1,6-Hexanediol diglycidyl ether
 Bisphenol-F-Epoxidharz (MW < 700)
 (3-(2,3-Epoxypropoxy)propyl)trimethoxysilane

Signal word: Danger

Pictograms:



Hazard statements

H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KÖSTER POX IN A

Revision date: 03.04.2018

Product code: IN231a

Page 2 of 8

H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P321 Specific treatment (see SECTION 4: First aid measures on this label).
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container to according to local regulations.

Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Contains epoxy constituents with an average molecular weight of 700.

Hazardous components

CAS No	Chemical name	Quantity
	EC No	Index No
	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
25068-38-6	epoxy resin (number average molecular weight <= 700), reaction product: bisphenol-A-(epichlorhydrin)	< 80 %
	500-033-5	603-074-00-8
	Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H319 H315 H317 H411	
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	15 - 25 %
	271-846-8	603-103-00-4
	Skin Irrit. 2, Skin Sens. 1; H315 H317	
16096-31-4	1,6-Hexanediol diglycidyl ether	10 - < 15 %
	240-260-4	01-2119463471-41
	Skin Irrit. 2, Eye Irrit. 2A, Skin Sens. 1, Aquatic Chronic 3; H315 H319 H317 H412	
9003-36-5	Bisphenol-F-Epoxidharz (MW < 700)	< 15 %
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H315 H319 H317 H411	
2530-83-8	(3-(2,3-Epoxypropoxy)propyl)trimethoxysilane	< 5 %
	219-784-2	01-2119513212-58
	Eye Dam. 1; H318	

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Remove persons to safety.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KÖSTER POX IN A

Revision date: 03.04.2018

Product code: IN231a

Page 3 of 8

After inhalation

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm. In case of irregular breathing or respiratory arrest provide artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. If unconscious place in recovery position and seek medical advice.

After contact with skin

Wash with plenty of water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Call a physician in any case!

After ingestion

Rinse mouth immediately and drink plenty of water. Remove casualty to fresh air and keep warm and at rest. Rinse mouth thoroughly with water. Let water be drunk in little sips (dilution effect). Caution if victim vomits: Risk of aspiration! If unconscious place in recovery position and seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Contains epoxy constituents. May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire and/or explosion do not breathe fumes.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Remove persons to safety. Wear chemical resistant suit. Do not breathe gas/vapour.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Wear personal protection equipment (refer to section 8).

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

When using do not eat, drink, smoke, sniff. Avoid release to the environment. Keep only in the original container in a cool, well-ventilated place. Do not breathe gas/fumes/vapour/spray. People who suffer from skin sensitization problems, asthma, allergies, chronic or recurring respiratory illnesses should not be deployed in

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KÖSTER POX IN A

Revision date: 03.04.2018

Product code: IN231a

Page 4 of 8

any process using this preparation. Avoid release to the environment.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

When using do not eat, drink, smoke, sniff. Avoid release to the environment. Keep only in the original container in a cool, well-ventilated place. Do not breathe gas/fumes/vapour/spray. Avoid release to the environment. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place. Keep away from food, drink and animal feedingstuffs. Protect from sunlight.

Advice on storage compatibility

Keep away from food, drink and animal feedingstuffs.

Further information on storage conditions

No special measures are necessary.

7.3. Specific end use(s)**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

To date, no national critical limit values exist.

8.2. Exposure controls**Appropriate engineering controls**

If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Suitable material: NBR (Nitrile rubber). PVC (Polyvinyl chloride). Butyl rubber. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Use only respiratory protection equipment with CE-symbol including four digit test number.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	liquid
Colour:	transparent
Odour:	characteristic

Changes in the physical state

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KÖSTER POX IN A

Revision date: 03.04.2018

Product code: IN231a

Page 5 of 8

Initial boiling point and boiling range: > 200 °C

Flash point: > 160 °C

Explosive properties

not explosive.

Oxidizing properties

Not oxidising.

Vapour pressure: 0,0001 hPa
(at 23 °C)Density: 1,1 g/cm³Viscosity / dynamic: 100 mPa·s
(at 23 °C)**SECTION 10: Stability and reactivity****10.1. Reactivity**

No risks worthy of mention.

10.2. Chemical stability

No risks worthy of mention.

10.3. Possibility of hazardous reactions

No risks worthy of mention.

10.4. Conditions to avoid

Keep cool. Protect from sunlight.

10.5. Incompatible materials

No risks worthy of mention.

10.6. Hazardous decomposition products

No risks worthy of mention.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

No information available.

Acute toxicity

No information available.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
9003-36-5	Bisphenol-F-Epoxidharz (MW < 700)				
	oral	LD50 > 23800 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rabbit		
2530-83-8	(3-(2,3-Epoxypropoxy)propyl)trimethoxysilane				
	oral	LD50 7010 mg/kg	Rat		
	dermal	LD50 3970 mg/kg	Rabbit		
	inhalative (4 h) vapour	LC50 > 5,3 mg/l	Rat		

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KÖSTER POX IN A

Revision date: 03.04.2018

Product code: IN231a

Page 6 of 8

Irritation and corrosivity

Irritating to eyes. After skin contact: irritant.

Sensitising effects

May cause sensitization by skin contact.

Carcinogenic/mutagenic/toxic effects for reproduction

No information available.

STOT-repeated exposure

May produce an allergic reaction.

Specific effects in experiment on an animal

No information available.

Additional information on tests

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
9003-36-5	Bisphenol-F-Epoxidharz (MW < 700)					
	Acute fish toxicity	LC50 mg/l	1,5 - 7,7	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute algae toxicity	ErC50	220 mg/l	96 h		
	Acute crustacea toxicity	EC50 mg/l	1,1 - 3,6	48 h	Daphnia magna	
2530-83-8	(3-(2,3-Epoxypropoxy)propyl)trimethoxysilane					
	Acute fish toxicity	LC50	237 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	
	Acute crustacea toxicity	EC50	324 mg/l	48 h	Daphnia magna	

12.2. Persistence and degradability

Product is not easily biodegradable.

12.3. Bioaccumulative potential

On the basis of existing data about the elimination/degradation and bioaccumulation potential longer term damage to the environment cannot be ruled out.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Further information

Do not allow to enter into surface water or drains. Classification according to Regulation (EC) No 1272/2008 [CLP]

SECTION 13: Disposal considerations

13.1. Waste treatment methods**Advice on disposal**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KÖSTER POX IN A

Revision date: 03.04.2018

Product code: IN231a

Page 7 of 8

substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Epoxy resin (MW ≤ 700))
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9



Classification code: M6
Special Provisions: 274 335 601
Limited quantity: 5 L
Transport category: 3
Hazard No: 90
Tunnel restriction code: E

Other applicable information (land transport)

E1

Inland waterways transport (ADN)

14.1. UN number: UN3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Epoxy resin (MW ≤ 700))
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9



Classification code: M6
Special Provisions: 274 335 601
Limited quantity: 5 L

Other applicable information (inland waterways transport)

E1

Marine transport (IMDG)

14.1. UN number: UN3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Epoxy resin (MW ≤ 700))
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9



Special Provisions: 274, 335
Limited quantity: 5 L

Safety Data Sheet

according to Regulation (EC) No 1907/2006

KÖSTER POX IN A

Revision date: 03.04.2018

Product code: IN231a

Page 8 of 8


EmS: F-A, S-F

Other applicable information (marine transport)

E1

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Epoxy resin (MW <= 700))
14.3. Transport hazard class(es): 9
14.4. Packing group: III
Hazard label: 9



Special Provisions: A97 A158
Limited quantity Passenger: 30 kg G
IATA-packing instructions - Passenger: 964
IATA-max. quantity - Passenger: 450 L
IATA-packing instructions - Cargo: 964
IATA-max. quantity - Cargo: 450 L

Other applicable information (air transport)

E1

Passenger-LQ: Y964

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulatory information**

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information**Relevant H and EUH statements (number and full text)**

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)