

# PRODUCT DATA SHEET PERISTALTIC PUMP

Product Code: DMS373



[info@deltamembranes.com](mailto:info@deltamembranes.com)

[www.deltamembranes.com](http://www.deltamembranes.com)

01992 523 523

**Delta Peristaltic pump is ideal for spraying both liquid and more pasty materials such as Koster Deuxan 2C, Koster NB4000, Koster 21 and Koster NB1.**

The smooth feeding technique of the pump ensures that the pressure on the delivery hose is kept to a minimum, so the material it is conveying is not pressed or squeezed. The Delta Peristaltic pump handles all materials equally well, the gentle application method ensures a superior quality of finish and a far superior flexibility of use.



### BENEFITS

- Few wearing parts
- 110v – Ideal for site use
- Easy to clean and maintain
- Compact, lightweight and portable
- Pressure and quantity can be adjusted
- Variable speed and remote control on/off switch
- For use with liquid and more "pasty" materials such as cement slurries



### ASSOCIATED PRODUCTS

- 110v Peristaltic Pump & 30 L hopper
- 110v Compressor
- Delivery Hose (40bar) 25mm Dia. 10m long including Geka fittings
- Air Hose 10mm Dia. 10m long including Euro Push Fittings
- Fine Spray Gun complete with 5 nozzles & Cleaning Tools in Aluminium case
- Extension cable for remote control 16m long with control button on fly lead

# PRODUCT DATA SHEET

## PERISTALTIC PUMP

Product Code: DMS373

### TECHNICAL DATA

Weight	28kg
Vacuum	0.95 bar
Output	0 – 8L/min
Motor	110v, 500W
Pumping Distance	Paste Material 30m, Liquid Material 100m

